



Malaga Parasol - Technical Data




Morton Commercial Parasols
Unit 1, Horseferry Bridge, Cirencester Road
Little Witcombe, Gloucester GL3 4SU, United Kingdom
T: +44 (0)1452 865260
E: info@mortonparasols.com
W: www.mortonparasols.com

2.5m Square


SIDE VIEW			TOP VIEW SQUARE (SQR)			
FIXATION						
		Steelbase	Groundanchor	Floorplate	Wall	
		90x90 / 100x100			only for UNO/DUO	
Umbrella dimensions closed		Unit				
A	Closed height umbrella	cm	277 / 271	290	288	285
B	Pole height	cm	260 / 260	285	285	285
C	Closed height gliding wagon	cm	58 / 52	70	68	65
P	Pole width (length x width)	cm	10 x 10	10 x 10	10 x 10	10 x 10
Umbrella dimensions opened		Unit				
D	Opened height umbrella	cm	281 / 275	295	293	290
E	Running height	cm	216 / 210	230	228	225
F	Opened height gliding wagon	cm	187 / 181	198	195	194
G	Opened width diagonal	cm	350 / 350	350	350	350
R	Opening radius	cm	187 / 187	187	187	187
H	Opened width	cm	250 / 250	250	250	250
I	Opened width	cm	250 / 250	250	250	250
J	Width between 2 frames	cm	15 / 15	15	15	15
K	Center distance between 2 sets	cm	530 / 530	530	530	530
Massa / Packaging dimensions		Unit				
1 Frame	kg		18,2	18,2	18,2	18,2
	cm x cm x cm		215 x 26 x 21	215 x 26 x 21	215 x 26 x 21	215 x 26 x 21
1 Pole Multipole P6 2600 mm	kg		13,3	-	-	-
	cm x cm x cm		266 x 12 x 12	-	-	-
1 Pole Multipole P6 2850 mm	kg		-	15,2	15,2	15,2
	cm x cm x cm		-	295 x 12 x 12	295 x 12 x 12	295 x 12 x 12
1 Steelbase 90 x 90 cm + cover	kg		38,0	-	-	-
	cm x cm x cm		95 x 95 x 25	-	-	-
1 Steelbase 100 x 100 cm + cover	kg		44,0	-	-	-
	cm x cm x cm		107 x 107 x 25	-	-	-
1 Floorplate 70 x 70 cm	kg		-	-	39,2	-
	cm x cm x cm		-	-	72 x 72 x 2	-
1 Floorplate 70 x 50 cm	kg		-	-	31,4	-
	cm x cm x cm		-	-	72 x 52 x 2	-
1 Pole support for floorplate	kg		-	-	3,3	-
	cm x cm x cm		-	-	58 x 23 x 29	-
1 Adjustable Groundanchor	kg		-	7,3	-	-
	cm x cm x cm		-	60 x 22 x 28	-	-
1 Wall bracket (2 pieces)	kg		-	-	-	2,2
	cm x cm x cm		-	-	-	27 x 17 x 16

3m Square

SIDE VIEW




TOP VIEW SQUARE EXTRA LARGE (SQR XL)



FIXATION

Steelbase




100x100

Groundanchor



Floorplate



only for UNO/DUO
Not for RND/RND XL


Umbrella dimensions closed		Unit				
A	Closed height umbrella	cm	296	290	288	285
B	Pole height	cm	285	285	285	285
C	Closed height gliding wagon	cm	40	34	31	29
P	Pole width (length x width)	cm	10 x 10	10 x 10	10 x 10	10 x 10

Umbrella dimensions opened		Unit				
D	Opened height umbrella	cm	300	294	292	289
E	Running height	cm	225	220	218	215
F	Opened height gliding wagon	cm	197	191	189	191
G	Opened width diagonal	cm	425	425	425	425
R	Opening radius	cm	227,5	227,5	227,5	227,5
H	Opened width	cm	300	300	300	300
I	Opened width	cm	300	300	300	300
J	Width between 2 frames	cm	15	15	15	15
K	Center distance between 2 sets	cm	630	630	630	630


Massa / Packaging dimensions		Unit				
1 Frame	kg		22,2	22,2	22,2	22,2
	cm x cm x cm		250 x 26 x 21	250 x 26 x 21	250 x 26 x 21	250 x 26 x 21
1 Pole Multipole P6 2600 mm	kg		-	-	-	-
	cm x cm x cm		-	-	-	-
1 Pole Multipole P6 2850 mm	kg		15,2	15,2	15,2	15,2
	cm x cm x cm		295 x 12 x 12	295 x 12 x 12	295 x 12 x 12	295 x 12 x 12
1 Steelbase 90 x 90 cm + cover	kg		-	-	-	-
	cm x cm x cm		-	-	-	-
1 Steelbase 100 x 100 cm + cover	kg		44,0	-	-	-
	cm x cm x cm		107 x 107 x 25	-	-	-
1 Floorplate 70 x 70 cm	kg		-	-	39,2	-
	cm x cm x cm		-	-	72 x 72 x 2	-
1 Floorplate 70 x 50 cm	kg		-	-	31,4	-
	cm x cm x cm		-	-	72 x 52 x 2	-
1 Pole support for floorplate	kg		-	-	3,3	-
	cm x cm x cm		-	-	58 x 23 x 29	-
1 Adjustable Groundanchor	kg		-	7,3	-	-
	cm x cm x cm		-	60 x 22 x 28	-	-
1 Wall bracket (2 pieces)	kg		-	-	-	2,2
	cm x cm x cm		-	-	-	27 x 17 x 16

3.5m Octagonal

SIDE VIEW




TOP VIEW ROUND (RND)



FIXATION


Steelbase



Groundanchor



Floorplate




90x90 / 100x100


Umbrella dimensions closed		Unit			
A	Closed height umbrella	cm	277 / 271	290	288
B	Pole height	cm	260 / 260	285	285
C	Closed height gliding wagon	cm	58 / 52	70	68
P	Pole width (length x width)	cm	10 x 10	10 x 10	10 x 10
Umbrella dimensions opened		Unit			
D	Opened height umbrella	cm	281 / 275	295	293
E	Running height	cm	216 / 210	230	228
F	Opened height gliding wagon	cm	187 / 181	198	195
G	Opened width diagonal	cm	350 / 350	350	350
R	Opening radius	cm	187 / 187	187	187
H	Opened width	cm	350 / 350	350	350
I	Opened width	cm	350 / 350	350	350
J	Width between 2 frames	cm	15 / 15	15	15
K	Center distance between 2 sets	cm	630	630	630
Massa / Packaging dimensions		Unit			
1 Frame	kg		18,2	18,2	18,2
	cm x cm x cm		215 x 26 x 21	215 x 26 x 21	215 x 26 x 21
1 Pole Multipole P6 2600 mm	kg		13,3	-	-
	cm x cm x cm		266 x 12 x 12	-	-
1 Pole Multipole P6 2850 mm	kg		-	15,2	15,2
	cm x cm x cm		-	295 x 12 x 12	295 x 12 x 12
1 Steelbase 90 x 90 cm + cover	kg		38,0	-	-
	cm x cm x cm		95 x 95 x 25	-	-
1 Steelbase 100 x 100 cm + cover	kg		44,0	-	-
	cm x cm x cm		107 x 107 x 25	-	-
1 Floorplate 70 x 70 cm	kg		-	-	39,2
	cm x cm x cm		-	-	72 x 72 x 2
1 Floorplate 70 x 50 cm	kg		-	-	31,4
	cm x cm x cm		-	-	72 x 52 x 2
1 Pole support for floorplate	kg		-	-	3,3
	cm x cm x cm		-	-	58 x 23 x 29
1 Adjustable Groundanchor	kg		-	7,3	-
	cm x cm x cm		-	60 x 22 x 28	-

4.2m Octagonal

SIDE VIEW




TOP VIEW ROUND EXTRA LARGE (RND XL)



FIXATION

Steelbase




100x100

Groundanchor



Floorplate



Umbrella dimensions closed		Unit			
A	Closed height umbrella	cm	296	290	288
B	Pole height	cm	285	285	285
C	Closed height gliding wagon	cm	40	34	31
P	Pole width (length x width)	cm	10 x 10	10 x 10	10 x 10
Umbrella dimensions opened		Unit			
D	Opened height umbrella	cm	300	294	292
E	Running height	cm	225	220	218
F	Opened height gliding wagon	cm	197	191	189
G	Opened width diagonal	cm	420	420	420
R	Opening radius	cm	187	187	187
H	Opened width	cm	420	420	420
I	Opened width	cm	420	420	420
J	Width between 2 frames	cm	15	15	15
K	Center distance between 2 sets	cm	630	630	630
Massa / Packaging dimensions		Unit			
1 Frame	kg		22,2	22,2	22,2
	cm x cm x cm		250 x 26 x 21	250 x 26 x 21	250 x 26 x 21
1 Pole Multipole P6 2600 mm	kg		-	-	-
	cm x cm x cm		-	-	-
1 Pole Multipole P6 2850 mm	kg		15,2	15,2	15,2
	cm x cm x cm		295 x 12 x 12	295 x 12 x 12	295 x 12 x 12
1 Steelbase 90 x 90 cm + cover	kg		-	-	-
	cm x cm x cm		-	-	-
1 Steelbase 100 x 100 cm + cover	kg		44,0	-	-
	cm x cm x cm		107 x 107 x 25	-	-
1 Floorplate 70 x 70 cm	kg		-	-	39,2
	cm x cm x cm		-	-	72 x 72 x 2
1 Floorplate 70 x 50 cm	kg		-	-	31,4
	cm x cm x cm		-	-	72 x 52 x 2
1 Pole support for floorplate	kg		-	-	3,3
	cm x cm x cm		-	-	58 x 23 x 29
1 Adjustable Groundanchor	kg		-	7,3	-
	cm x cm x cm		-	60 x 22 x 28	-

Anchor Solutions

	Steelbase		Groundanchor	
	90x90	100x100	P6	P7
Parameters				
Position pole				-
Components	Steelbase, pole support, 4 bolts & nuts, 4 adjustable feet, covers	Steelbase, pole support, 4 bolts & nuts, 4 adjustable feet, covers	Foot, groundanchor, pole support square, covers, bolts, threaded rod	Foot, groundanchor, pole support round, covers, bolts, threaded rod
Not included	12 tiles 40x40x4 cm	4 tiles 50x50x5 cm	-	-
Adjustable	no	no		
			15° left, 15° right	300°
Grounddimensions	Square 90 cm x 90 cm	Square 100 cm x 100 cm		
Swivel wheels	Only for P7 SQR, P7 RND, P6 SQR (UNO), P6 RND (UNO)			
Used for products	P6 SQR, P6 RND, P7 SQR, P7 RND	P6 SQR, P6 SQR XL, P6 RND, P6 RND XL, P7 SQR, P7 SQR XL, P7 RND, P7 RND XL	P6 SQR, P6 SQR XL, P6 RND, P6 RND XL	P7 SQR, P7 SQR XL, P7 RND, P7 RND XL
Massa / Packaging dimensions				
Unit				
kg	38,0	44,0	7,3	7,3
cm x cm x cm	95 x 95 x 25	107 x 107 x 25	60 x 22 x 28	60 x 22 x 28

* - - - - = optional position

Fabrics

P6/P7 Families

Colors

UV Protection %

UV 95%

UV 100%

Colors



Natural White



White Sand



Butter Cup



Bitter Orange



Terra Cotta



Paris Red



Lead Grey



Taupe



Carbon Grey



Night Blue



Black Widow



Olive Green

Fabric specifications

** colors on the screen print may show deviation*

Type	Dickson Acryl, 100% mass painted	Olefin, 100% mass painted
Weight	290 g/m ²	190 g/m ²
Colour fastness	7-8/8 (ISO 105 B04)	7-8/8 (ISO 105 B04)
Waterproof	>300 mm water column	water - repellent

Fabric benefits



Fade resistant



Water-repellent
Stain proof



Mold resistant



Easy care



Protects from UV








5 year warranty
Colour retention








No toxic substances

Exploded View - 2.5m Square & 3.5m Octagonal




Exploded view - 3m Square & 4.2m Octagonal




Exploded view - multi mast & single mast


Multi Mast








Single Mast



Exploded View - surface anchors




Wall Brackets Multi Pole (2 Pcs.)
0000121



View of spare parts

Standard Spigot



Single pole spigot

